

The Adams Rite 4710 heavy duty Deadlatch offers flexible traffic control and a good level of security.

When used in emergency exit applications with a 4591 Paddle Handle the E8461 ramped jaw strike must be fitted to conform with BS EN179:2008




Key Benefits

- The Auxiliary bolt feature deadlocks the latch when the door is closed against the strike.
- Operates using mortice cylinder, thumbturn (both with MS® cam) or range of Adams Rite furniture.
- Can be used in conjunction with 7100 series Electric Strikes to provide remote access control.
- Designed for use on aluminium doors.
- The latch is interchangeable without stile modification with the MS® 1850S Deadlock.
- Latchbolt reversible and supplied non handed unless specified.
- Maximum operational door gap is 5mm.
- Independently tested to 1 million cycles.
- 3 year guarantee

Related Hardware

Round Cylinders ~ MS®4043 Cylinder Guard
Round Thumbturns ~ 4565 Thumbturn ~ 4568 Lever Handle
4591 Paddle Handle ~ E8461 Ramp Jaw Strikes ~ 7100/7400 Series Electric Strikes

Specification



Overall Case Size:	173mm x 25mm x 38.3mm - 22.2mm Backset (7/8") 173mm x 25mm x 40.6mm - 24.6mm Backset (31/32") 173mm x 25mm x 44.7mm - 28.6mm Backset (1 1/8") 173mm x 25mm x 54.4mm - 38.1mm Backset (1 1/2").
Case:	Steel with corrosion-resistant plating.
Backset:	22.2mm, 24.6mm, 28.6mm, 38.1mm.
Latch Bolt:	25.4mm x 12.7mm. ZA-27 Zinc, Chrome Plated, Hardened Steel Internal Pins, plus Anti-Pick baffle.
Latch Throw:	12.7mm..
Cylinder:	Any standard 29.4mm (1 5/32") Mortice Cylinder or Thumbturn with MS® cam.
Operation:	Turn key/thumbturn or handle to retract latch bolt.
Door Gap:	3 - 5mm.
Forend:	Steel, with aluminium faceplate..

Ordering Information

4710-100-5	Lock Bodies - Deadlatch 22.2mm (7/8") Backset LH
4710-100-6	Lock Bodies - Deadlatch 22.2mm (7/8") Backset RH
4710-200-5	Lock Bodies - Deadlatch 24.6mm (31/32") Backset LH
4710-200-6	Lock Bodies - Deadlatch 24.6mm (31/32") Backset RH
4710-300-5	Lock Bodies - Deadlatch 28.6mm (1 1/8") Backset LH
4710-300-6	Lock Bodies - Deadlatch 28.6mm (1 1/8") Backset RH
4710-400-5	Lock Bodies - Deadlatch 38.1mm (1 1/2") Backset LH
4710-400-6	Lock Bodies - Deadlatch 38.1mm (1 1/2") Backset RH

4700 Faceplates

24-4700-000-628	4700 SERIES FACEPLATE FLAT SAA
24-4700-100-628	4700 SERIES FACEPLATE RADIUS SAA
24-4700-200-628	4700 SERIES FACEPLATE LH BEVEL SAA
24-4700-300-628	4700 SERIES FACEPLATE RH BEVEL SAA
24-4700-400-628	4700 SERIES FACEPLATE RADIUS W/S SAA

Lock Mounting Accessories

26-09-42	TUBE SPACER FOR USE WITH SWING DOOR
26-09-55	TUBE SPACER FOR USE WITH SWING DOOR
26-0185-22	1 3/8 INCH POSTS IN PAIRS
4075	4075 MOUNTING TOOL
4436	LOCK MOUNTING TAB KIT