

The Adams Rite 4750 Deadlatch offers flexible traffic control and a good level of security.

When used in emergency exit applications with a 4596 Paddle Handle the E8461 ramped jaw strike must be fitted to conform with BS EN179:2008.




Key Benefits

- Can be used in conjunction with the 7100 or 7400 series Electric Strike to provide remote access control
- The auxiliary bolt feature deadlocks the latch when the door is closed against the strike
- Operates with standard 17mm Euro cylinder
- Metric backset sizes
- Designed for use on aluminium doors.
- Holdback function via reverse turn of key
- Can be re-handed if required.
- Independantly tested to 1 million cycles

Related Hardware

4104 Mounting Bridges ~ CL0/1 Europrofile Cylinders & Escutcheons
Europrofile Thumbturns ~ 4596 Paddle Handle ~ 7100/7400 Series Electric Strikes

Specification



Overall Case Size:	173mm x 25mm x 40.6mm - 24mm Backset 173mm x 25mm x 44.7mm - 28mm Backset 173mm x 25mm x 54.4mm - 37mm Backset.
Case:	Steel with corrosion-resistant plating.
Backset:	24mm, 28mm, 37mm.
Latch Bolt:	25.4mm x 12.7mm. ZA-27 Zinc, Chrome Plated, Hardened Steel Internal Pins, plus Anti-Pick baffle.
Latch Throw:	12.7mm.
Cylinder:	17mm Europrofile Cylinder or Thumbturn.
Operation:	Turn key or thumbturn to retract latch bolt.
Door Gap:	3 - 5mm.
Forend:	Steel, with aluminium faceplate..

Ordering Information

4750-200-5	Lock Bodies - Deadlatch 24mm Backset LH
4750-200-6	Lock Bodies - Deadlatch 24mm Backset RH
4750-300-6	Lock Bodies - Deadlatch 28mm backset RH
4750-300-5	Lock Bodies - Deadlatch 28mm Backset LH
4750-400-5	Lock Bodies - Deadlatch 37mm Backset LH
4750-400-6	Lock Bodies - Deadlatch 37mm backset RH

4700 Faceplates

24-4700-000-628	4700 SERIES FACEPLATE FLAT SAA
24-4700-100-628	4700 SERIES FACEPLATE RADIUS SAA
24-4700-200-628	4700 SERIES FACEPLATE LH BEVEL SAA
24-4700-300-628	4700 SERIES FACEPLATE RH BEVEL SAA
24-4700-400-628	4700 SERIES FACEPLATE RADIUS W/S SAA

Lock Mounting Accessories

26-09-42	TUBE SPACER FOR USE WITH SWING DOOR
26-09-55	TUBE SPACER FOR USE WITH SWING DOOR
26-0185-22	1 3/8 INCH POSTS IN PAIRS
4075	4075 MOUNTING TOOL
4436	LOCK MOUNTING TAB KIT